

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2696	f04c002/10.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:02
L2	13	1 and ((shaft or sleeve) with key) and rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:14
L3	2	("5439360").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:12
L4	4	("5439360")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:13
L5	2	"20050207927"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:13
L6	897	((418/171,166).ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:14
L7	51	6 and ((shaft or sleeve) with key) and rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:21
L8	43	(gear adj pump) and ((shaft or sleeve) with key) and (inner adj rotor) and (outer adj rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:30

## EAST Search History

L9	38	(gear adj pump) and ((shaft or sleeve) with groove) and (inner adj rotor) and (outer adj rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:23
L10	31	(gear adj pump) and (shaft or sleeve) and ((inner adj rotor) with (protrusion or key)) and (outer adj rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:42
L11	19	6 and (shaft or sleeve) and ((inner adj rotor) with (protrusion or key)) and (outer adj rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:31
L12	0	((("403"/\$.ccls.) or ("403"/\$.ccls.)) and (gear adj pump) and (shaft or sleeve) and ((inner adj rotor) with (protrusion or key)) and (outer adj rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:43
L13	0	((("403"/\$.ccls.) or ("403"/\$.ccls.)) and (gear adj pump) and ((shaft or sleeve) with (key or protrusion)) and (inner adj rotor) and (outer adj rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:44
L14	0	((("403"/\$.ccls.) or ("403"/\$.ccls.)) and ((shaft or sleeve) with (key or protrusion)) and (inner adj rotor) and (outer adj rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:44
L15	167	((("403"/\$.ccls.) or ("403"/\$.ccls.)) and ((shaft or sleeve) with (key or protrusion)) and rotor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:44
L16	47	15 and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:52
L17	530	(hydrodynamic adj brake)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:53

## EAST Search History

L18	186	17 and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/21 11:53
-----	-----	-------------	--	----	----	------------------